

PRODUCT CATALOG



PO Box 2636 · 3800 GD · Amersfoort

Koolhaaspark 15 · 3864 PW · Nijkerkerkerveen

Phone: +31 (0)33 2580674 · Fax: +31 (0)33 258 2945

Brazed Carbide Tools – SG/RG

Angle Face Cup



Dia	Width	Bore	SG - Structured Grit
150 mm	35 mm	60 mm	230
200 mm	40 mm	1-1/2"	170, 230, 330, 390, 460, 550

Contoured Cup



Dia	Width	Bore	SG - Structured Grit
50 mm	20 mm	3/8"	170, 230, 330, 390, 460, 550
50 mm	25 mm	3/8" UNF 24 TPI	170, 230, 330, 390, 460, 550
65 mm	25 mm	3/8" UNF 24 TPI	170, 230, 330, 390, 460, 550
65 mm	25 mm	3/8"	170, 230, 330, 390, 460, 550
75 mm	30 mm	3/8"	170, 230, 330, 390, 460, 550
75 mm	30 mm	14 mm	330
75 mm	30 mm	1/2"	390
90 mm	40 mm	3/8"	170, 230, 330, 390, 460, 550
90 mm	40 mm	1/2"	170, 230, 330, 390, 460, 550
100 mm	30 mm	1/2"	170, 230, 330, 390, 460, 550
100 mm	40 mm	14 mm	170, 230, 330, 390, 460, 550
100 mm	40 mm	1/2"	170, 230, 330, 390, 460, 550
100 mm	40 mm	3/4"	170, 230, 330, 390, 460, 550
150 mm	40 mm	1-1/2"	170, 230, 330, 390, 460, 550
200 mm	40 mm	1-1/2"	170, 230, 330, 390, 460, 550
30 mm	20 mm	3/8" UNF 24 TPI	170, 230, 330, 390, 460, 550
35 mm	20 mm	3/8" UNF 24 TPI	170, 230, 330, 390, 460, 550
45 mm	20 mm	3/8"	170, 230, 330, 390, 460, 550
200 mm	50 mm	1-1/2"	170, 230, 330, 390, 460, 550
200 mm	50 mm	3/4"	170, 230, 330, 390, 460, 550

Contoured Cup

Dia	Width	Bore	RG Random Grit
50 mm	20 mm	3/8" UNF 24 TPI	16, 23, 36, 46, 60
50 mm	20 mm	3/8"	16, 23, 36, 46, 60
50 mm	25 mm	3/8" UNF 24 TPI	16, 23, 36, 46, 60
65 mm	10 mm	3/8" UNF 24 TPI	16, 23, 36, 46, 60
65 mm	14 mm	3/8" UNF 24 TPI	16, 23, 36, 46, 60
65 mm	25 mm	3/8" UNF 24 TPI	16, 23, 36, 46, 60
65 mm	25 mm	3/8"	16, 23, 36, 46, 60
75 mm	25 mm	3/8" UNF 24 TPI	16, 23, 36, 46, 60
75 mm	25 mm	3/8"	16, 23, 36, 46, 60
75 mm	25 mm	14 mm	16, 23, 36, 46, 60
75 mm	25 mm	5/8"	16, 23, 36, 46, 60
75 mm	30 mm	3/8" UNF 24 TPI	16, 23, 36, 46, 60
75 mm	30 mm	3/8"	16, 23, 36, 46, 60
75 mm	30 mm	14 mm	16, 23, 36, 46, 60
75 mm	40 mm	3/8" UNF 24 TPI	16, 23, 36, 46, 60
75 mm	40 mm	3/8"	16, 23, 36, 46, 60
75 mm	40 mm	14 mm	16, 23, 36, 46, 60
75 mm	40 mm	5/8"	16, 23, 36, 46, 60
75 mm	40 mm	1/2"	16, 23, 36, 46, 60
0 mm	40 mm	3/8"	16, 23, 36, 46, 60

100 mm	30 mm	½"	16, 23, 36, 46, 60
100 mm	40 mm	3/8"	16, 23, 36, 46, 60
100 mm	40 mm	14 mm	16, 23, 36, 46, 60
100 mm	40 mm	5/8"	16, 23, 36, 46, 60
130 mm	40 mm	3/8"	16, 23, 36, 46, 60
130 mm	40 mm	7/8"	16, 23, 36, 46, 60
150 mm	40 mm	1-1/2"	16, 23, 36, 46, 60
150 mm	40 mm	½"	16, 23, 36, 46, 60
200 mm	40 mm	1-1/2"	16, 23, 36, 46, 60
200 mm	40 mm	3/4"	16, 23, 36, 46, 60



Flat Face Cup

Dia	Width	Bore	SG - Structured Grit
75 mm	25 mm	3/8"	170, 230, 330, 390, 460, 550
75 mm	25 mm	½"	170, 230, 330, 390, 460, 550
75 mm	25 mm	7/8"	330
75 mm	50 mm	3/8"	170, 230, 330, 390, 460, 550
75 mm	50 mm	½"	170, 230, 330, 390, 460, 550
100 mm	25 mm	½"	170, 230, 330, 390, 460, 550
100 mm	40 mm	14 mm	170, 230, 330, 390, 460, 550
100 mm	40 mm	½"	170, 230, 330, 390, 460, 550
100 mm	50 mm	5/8"	170, 230, 330, 390, 460, 550
100 mm	50 mm	½"	170, 230, 330, 390, 460, 550
100 mm	50 mm	1"	170, 230, 330, 390, 460, 550
200 mm	25 mm	60 mm	170
200 mm	40 mm	60 mm	170, 230, 330, 390, 460, 550
200 mm	40 mm	1-1/2"	170, 230, 330, 390, 460, 550
200 mm	40 mm	50 mm	170, 230, 330, 390, 460, 550
230 mm	40 mm	60 mm	170, 230, 330, 390, 460, 550
230 mm	40 mm	1-1/2"	170, 230, 330, 390, 460, 550
230 mm	40 mm	50 mm	170, 230, 330, 390, 460, 550
75 mm	40 mm	14 mm	170, 230, 330, 390, 460, 550

Flat Face Cup

Dia	Width	Bore	RG Random Grit
75 mm	25 mm	3/8"	16, 23, 36, 46, 60
75 mm	25 mm	14 mm	16, 23, 36, 46, 60
75 mm	25 mm	5/8"	16, 23, 36, 46, 60
75 mm	25 mm	½"	16, 23, 36, 46, 60
75 mm	50 mm	3/8"	16, 23, 36, 46, 60
75 mm	50 mm	½"	16, 23, 36, 46, 60
100 mm	25 mm	½"	16, 23, 36, 46, 60
100 mm	40 mm	3/8"	16, 23, 36, 46, 60
100 mm	40 mm	14 mm	16, 23, 36, 46, 60
100 mm	40 mm	5/8"	16, 23, 36, 46, 60
100 mm	40 mm	½"	16, 23, 36, 46, 60
100 mm	50 mm	5/8"	16, 23, 36, 46, 60
100 mm	50 mm	½"	16, 23, 36, 46, 60
100 mm	50 mm	1"	16, 23, 36, 46, 60
150 mm	25 mm	60 mm	16, 23, 36, 46, 60
150 mm	25 mm	½"	16, 23, 36, 46, 60
150 mm	40 mm	60 mm	16, 23, 36, 46, 60
150 mm	40 mm	½"	16, 23, 36, 46, 60
150 mm	40 mm	7/8"	16, 23, 36, 46, 60
200 mm	40 mm	60 mm	16, 23, 36, 46, 60
200 mm	40 mm	1-1/2"	16, 23, 36, 46, 60
200 mm	40 mm	3/4"	16, 23, 36, 46, 60
200 mm	40 mm	50 mm	16, 23, 36, 46, 60

Donut Wheel



Dia	Width	Bore	SG - Structured Grit
130 mm	25 mm	1-1/2"	170, 230, 330, 390, 460, 550
130 mm	25 mm	50 mm	170, 230, 330, 390, 460, 550
130 mm	30 mm	1/2"	170, 230, 330, 390, 460, 550
150 mm	25 mm	1-1/2"	170, 230, 330, 390, 460, 550
150 mm	25 mm	50 mm	170, 230, 330, 390, 460, 550
150 mm	30 mm	60 mm	170, 230, 330, 390, 460, 550
150 mm	30 mm	1-1/2"	170, 230, 330, 390, 460, 550
150 mm	30 mm	50 mm	170, 230, 330, 390, 460, 550
200 mm	30 mm	60 mm	170, 230, 330, 390, 460, 550
200 mm	30 mm	20 mm	170, 230, 330, 390, 460, 550

Donut Wheel

Dia	Width	Bore	RG Random Grit
75 mm	25 mm	3/8"	16, 23, 36, 46, 60
75 mm	25 mm	5/8"	16, 23, 36, 46, 60
75 mm	40 mm	3/8"	16, 23, 36, 46, 60
75 mm	40 mm	5/8"	16, 23, 36, 46, 60
100 mm	25 mm	3/8"	16, 23, 36, 46, 60
100 mm	25 mm	5/8"	16, 23, 36, 46, 60
100 mm	40 mm	3/8"	16, 23, 36, 46, 60
100 mm	40 mm	5/8"	16, 23, 36, 46, 60
130 mm	25 mm	3/8"	16, 23, 36, 46, 60
130 mm	25 mm	3/4"	16, 23, 36, 46, 60
130 mm	25 mm	50 mm	16, 23, 36, 46, 60
130 mm	30 mm	3/8"	16, 23, 36, 46, 60
130 mm	30 mm	3/4"	16, 23, 36, 46, 60
130 mm	30 mm	18 mm	16, 23, 36, 46, 60
130 mm	40 mm	3/8"	16, 23, 36, 46, 60
130 mm	40 mm	3/4"	16, 23, 36, 46, 60
150 mm	25 mm	1-1/2"	16, 23, 36, 46, 60
150 mm	25 mm	1/2"	16, 23, 36, 46, 60
150 mm	30 mm	60 mm	16, 23, 36, 46, 60
150 mm	30 mm	1-1/2"	16, 23, 36, 46, 60
150 mm	30 mm	1/2"	16, 23, 36, 46, 60
150 mm	30 mm	50 mm	16, 23, 36, 46, 60
150 mm	40 mm	1-1/2"	16, 23, 36, 46, 60
150 mm	40 mm	1/2"	16, 23, 36, 46, 60
200 mm	30 mm	20 mm	16, 23, 36, 46, 60



Round Face Wheel

Dia	Width	Bore	SG - Structured Grit
100 mm	10 mm	1/2"	170, 230, 330, 390, 460, 550
100 mm	13 mm	3/8"	170, 230, 330, 390, 460, 550
100 mm	13 mm	1/2"	170, 230, 330, 390, 460, 550
130 mm	13 mm	1/2"	170, 230, 330, 390, 460, 550
50 mm	6 mm	3/8" UNF 24 TPI	170, 230, 330, 390, 460, 550
50 mm	10 mm	3/8" UNF 24 TPI	170, 230, 330, 390, 460, 550
50 mm	13 mm	3/8" UNF 24 TPI	170, 230, 330, 390, 460, 550
50 mm	20 mm	3/8" UNF 24 TPI	170, 230, 330, 390, 460, 550

Round Face Wheel

Dia	Width	Bore	RG Random Grit
25 mm	3 mm	3/8" UNF 24 TPI	16, 23, 36, 46, 60
50 mm	3 mm	3/8" UNF 24 TPI	16, 23, 36, 46, 60
50 mm	6 mm	3/8" UNF 24 TPI	16, 23, 36, 46, 60
50 mm	8 mm	3/8" UNF 24 TPI	16, 23, 36, 46, 60
50 mm	10 mm	3/8" UNF 24 TPI	16, 23, 36, 46, 60
50 mm	13 mm	3/8" UNF 24 TPI	16, 23, 36, 46, 60
50 mm	20 mm	3/8" UNF 24 TPI	16, 23, 36, 46, 60
100 mm	13 mm	1/2"	16, 23, 36, 46, 60

Tapered Pencil



Dia	Length	Shank	SG - Structured Grit
6 mm	65 mm	6D X 26L	170, 230, 330, 390, 460, 550
6 mm	75 mm	6D X 28L	170, 230, 330, 390, 460, 550
6 mm	100 mm	6D X 30L	170, 230, 330, 390, 460, 550
1/4"	65 mm	1/4"D X 26L	170, 230, 330, 390, 460, 550
1/4"	75 mm	1/4"D X 28L	170, 230, 330, 390, 460, 550
1/4"	100 mm	1/4"D X 30L	170, 230, 330, 390, 460, 550
3/8"	150 mm	3/8"D X 65L	170, 230, 330, 390, 460, 550
3/8"	75 mm	3/8"D X 25L	170, 230, 330, 390, 460, 550

Tapered Pencil

Dia	Length	Shank	RG Random Grit
6 mm	65 mm	6D X 26L	16, 23, 36, 46, 60
6 mm	75 mm	6D X 28L	16, 23, 36, 46, 60
6 mm	100 mm	6D X 30L	16, 23, 36, 46, 60
1/4"	65 mm	1/4"D X 26L	16, 23, 36, 46, 60
1/4"	75 mm	1/4"D X 28L	16, 23, 36, 46, 60
1/4"	100 mm	1/4"D X 30L	16, 23, 36, 46, 60
3/8"	150 mm	3/8"D X 65L	16, 23, 36, 46, 60

Ball



Dia	Bore	Shank	SG - Structured Grit
25 mm	3/8" UNF 24 TPI		170, 230, 330, 390, 460, 550
30 mm	3/8" UNF 24 TPI		170, 230, 330, 390, 460, 550
16 mm		6D X 65L	170, 230, 330, 390, 460, 550
22 mm		1/4"D X 45L	170, 230, 330, 390, 460, 550
30 mm		1/4"D X 45L	170, 230, 330, 390, 460, 550
40 mm		1/2"D X 60L	170, 230, 330, 390, 460, 550

Ball

Dia	Shank	RG Random Grit
13 mm	6D X 65L	16, 23, 36, 46, 60
16 mm	6D X 65 L	16, 23, 36, 46, 60
20 mm	6D X 65L	16, 23, 36, 46, 60

Cone



Dia	Length	Bore	Shank	SG - Structured Grit
22 mm	50 mm	3/8" UNF 24 TPI		170, 230, 330, 390, 460, 550

22 mm	100 mm	3/8" UNF 24 TPI		170, 230, 330, 390, 460, 550
25 mm	40 mm	3/8" UNF 24 TPI		170, 230, 330, 390, 460, 550
20 mm	40 mm	3/8" UNF 24 TPI		170, 230, 330, 390, 460, 550
40 mm	60 mm	3/8" UNF 24 TPI		170, 230, 330, 390, 460, 550
16 mm	25 mm		¼"D X 40L	170, 230, 330, 390, 460, 550
16 mm	35 mm	3/8" UNF 24 TPI		
22 mm	25 mm	3/8" UNF 24 TPI		
22 mm	30 mm		¼"D X 40L	

Cone

Dia	Length	Bore	RG Random Grit
20 mm	40 mm	3/8" UNF 24 TPI	16, 36
20 mm	100 mm	3/8" UNF 24 TPI	16, 23, 36, 46, 60
25 mm	50 mm	3/8" UNF 24 TPI	16, 23, 36, 46, 60

Sanding Disc



Dia	Bore	SG - Structured Grit
100 mm	16 mm	170, 230, 330, 390, 460, 550
130 mm	7/8"	170, 230, 330, 390, 460, 550
180 mm	7/8"	170, 230, 330, 390, 460, 550

Rubber Cutting Wheel

Dia	Width	Bore	SG - Structured Grit
150 mm	11 mm	50.01 mm	230, 330, 390, 460, 550
150 mm	17 mm	50.01 mm	170, 230, 330, 390, 460, 550

Ball Nose Burr

Dia	Length	Shank	SG - Structured Grit
13 mm	20 mm	¼"D X 30L	170, 230, 330, 390, 460, 550
20 mm	25 mm	¼"D X 30L	170, 230, 330, 390, 460, 550

Drill Cutter

Dia	Length	Shank	SG - Structured Grit
13 mm	50 mm	M8 X 1.25P	170, 230, 330, 390, 460, 550
15 mm	40 mm	10D X 50 L	460
15 mm	50 mm	M8 X 1.25P	170, 230, 330, 390, 460, 550
15 mm	50 mm	M10 X 1.5P	170, 230, 330, 390, 460, 550
20 mm	50 mm	M10 X 1.5P	170, 230, 330, 390, 460, 550

Sleeve

Dia	Width	Bore	SG - Structured Grit
30 mm	25 mm	38 mm	170, 230, 330, 390, 460, 550
45 mm	25 mm	38 mm	170, 230, 330, 390, 460, 550



Flat Face Wheel

Dia	Width	Bore	RG Random Grit
40 mm	3 mm	3/8" UNF 24 TPI	16, 23, 36, 46, 60
50 mm	6 mm	3/8" UNF 24 TPI	16, 23, 36, 46, 60
50 mm	13 mm	3/8" UNF 24 TPI	16, 23, 36, 46, 60

50 mm	25 mm	3/8" UNF 24 TPI	16, 23, 36, 46, 60
-------	-------	-----------------	--------------------

Recessed Pencil



Dia	Length	Shank	RG Random Grit
1/4"	65 mm	1/4"D X 26 L	16, 23, 36, 46, 60

Straight Pencil



Dia	Length	Shank	RG Random Grit
1/8"	65 mm	1/8"D X 26L	16, 23, 36, 46, 60
6 mm	65 mm	6D X 26L	16, 23, 36, 46, 60
1/4"	65 mm	1/4"D X 26L	16, 23, 36, 46, 60

Round Tip Pencil

Dia	Length	Shank	RG Random Grit
6 mm	100 mm	6D X 30L	16, 23, 36, 46, 60

Rotary Knife

Dia	Bore	SG Random Grit
150 mm	2"	80, 150, 240
180 mm	32 mm	120, 240
210 mm	2"	240

Rotary Knife

Dia	Bore	RG Random Grit
100 mm	5/8"	16, 36
150 mm	3/8"	16, 23, 36, 46, 60
180 mm	7/8"	23
130 mm	7/8"	16, 23, 36, 46, 60



PO Box 2636 · 3800 GD · Amersfoort
Koolhaaspark 15 · 3864 PW · Nijkerkerkerveen
Phone: +31 (0)33 2580674 · Fax: +31 (0)33 258 2945